



# Delo® Family Of Products Recommendations - For Various On-Road OEM Specifications

Manufacturer - Specification	Type of Equipment	Chevron Product
<b>Caterpillar</b>		
ECF-3; API CJ-4	ACERT® 2007 engines	Delo® 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
Coolants: EC-1	All on-highway engines	Delo Extended Life Coolant Delo Prediluted 50/50 Extended Life Coolant
<b>Cummins</b>		
CES 20081; API CJ-4	US EPA 2007 / US EPA 2010 / US EPA 2013 engines	Delo 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
CES20074	CNG engines (ISX12 G, 8.9L ISL G, C8.3G, B5.9G)	Delo 400 NG SAE 15W-40
Coolants: CES 14603	All on-highway engines	Delo Extended Life Coolant or Delo Extended Life Coolant 50/50 <sup>1</sup>
<b>Detroit Diesel/Daimler Trucks NA</b>		
DDC 93K218; API CJ-4	US EPA 2007 / US EPA 2010 / US EPA 2013 engines	Delo 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
DDC 93K216	CNG engines (Series 50G, Series 60G)	Delo 400 NG SAE 15W-40
Coolants: DDC 93K217	US EPA 2007 / US EPA 2010 / US EPA 2013 engines	Delo Prediluted 50/50 Extended Life Coolant - Nitrite Free
Coolants: DD 7SE298	2006 and older engines	Delo Prediluted 50/50 Extended Life Coolant
Chassis / Fifth Wheel / Greased Wheel Bearings	All truck models	Delo Grease ESI®, Delo Heavy Duty EP Delo Heavy Duty Moly 3% EP Delo Heavy Duty Moly 5% EP, Delo Grease EP

<sup>1</sup>Chevron product does not fully meet OEM specification but is suitable for use in non-warranty applications.



**Delo®**  
Let's go further.™

DELO® FAMILY OF PRODUCTS RECOMMENDATIONS

Manufacturer - Specification	Equipment	Chevron Product
<b>Mack</b>		
EO-O Premium Plus; API CJ-4	US EPA 2007 / US EPA 2010 / US EPA 2013 engines	Delo 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
Coolants: SB-232-014 or 014-GS-17009	All on-highway engines	Delo Prediluted 50/50 Extended Life Coolant - Nitrite Free <sup>1</sup>
Chassis / Fifth Wheel / Greased Wheel Bearings	All truck models	Delo Grease EP, Delo Grease ESI Delo Heavy Duty EP, Delo Heavy Duty Moly 3% EP Delo Heavy Duty Moly 5% EP
<b>Mercedes-Benz/Daimler Trucks</b>		
MB 228.51	VB Sprinter diesel engines	Delo 400 LE Synthetic SAE 5W-30
MB 228.31	US EPA 2007 / US EPA 2010 / US EPA 2013 engines	Delo 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
MB 226.9	CNG engines	Delo 400 NG SAE 15W-40 <sup>1</sup>
Coolants: MB 325.3	All on-highway engines	Delo Prediluted 50/50 Extended Life Coolant - Nitrite Free <sup>1</sup>
Chassis / Fifth Wheel / Greased Wheel Bearings	All truck models	Delo Grease EP, Delo Grease ESI Delo Heavy Duty EP, Delo Heavy Duty Moly 3% EP Delo Heavy Duty Moly 5% EP
<b>International/Navistar</b>		
API CJ-4	US EPA 2007 & US EPA 2010 engines	Delo 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
CNG / LNG	CNG / LNG engines (LNG MAXXFORCE® 13L)	Delo 400 NG SAE 15W-40 <sup>1</sup>
Coolants: CEMS-B1 Type IIIa	MAXXFORCE® 11, 13 & 15 engines	Delo® Prediluted 50/50 Extended Life Coolant - Nitrite Free <sup>1</sup>
Coolants: CEMS-B1 Type III	All other MAXXFORCE and older Navistar / International engines	Delo Prediluted 50/50 Extended Life Coolant
Chassis / Fifth Wheel / Greased Wheel Bearings	All truck models	Delo Grease ESI, Delo Heavy Duty EP Delo Heavy Duty Moly 3% EP Delo Heavy Duty Moly 5% EP, Delo Grease EP

<sup>1</sup>Chevron product does not fully meet OEM specification but is suitable for use in non-warranty applications.

DELO® FAMILY OF PRODUCTS RECOMMENDATIONS

Manufacturer - Specification	Equipment	Chevron Product
<b>PACCAR/DAF</b>		
API CJ-4	US EPA 2007 / US EPA 2010 / US EPA 2013 engines	Delo 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
Coolants	All on-highway engines	Delo Prediluted 50/50 Extended Life Coolant Delo Prediluted 50/50 Extended Life Coolant - Nitrite Free
Chassis / Fifth Wheel / Greased Wheel Bearings	All truck models	Delo Grease EP, Delo Grease ESI, Delo Heavy Duty EP, Delo Heavy Duty Moly 3% EP, Delo Heavy Duty Moly 5% EP
<b>Volvo</b>		
VDS-4; API CJ-4	US EPA 2007 / US EPA 2010 / US EPA 2013 engines	Delo 400 LE Synthetic SAE 5W-30
		Delo 400 LE Synthetic SAE 5W-40
		Delo 400 XLE Synblend SAE 10W-30
		Delo 400 LE SAE 15W-40
Volvo CNG	CNG	Delo 400 NG SAE 15W-40 <sup>1</sup>
Coolants: 20774185	All on-highway engines	Delo Prediluted 50/50 Extended Life Coolant - Nitrite Free <sup>1</sup>
Chassis / Fifth Wheel / Greased Wheel Bearings	All truck models	Delo Grease EP, Delo Grease ESI, Delo Heavy Duty EP, Delo Heavy Duty Moly 3% EP, Delo Heavy Duty Moly 5% EP
<b>Dana Spicer Axles</b>		
Extended Drain - SHAES 256 Rev C	Drive Axles - Extended Drain	Delo Synthetic Gear SAE 75W-90
Conventional Drain - SAE J2360	Drive Axles - Conventional Drain	Delo Gear Lubricants ESI 80W-90
		Delo Gear Lubricants ESI 85W-140
Vocational - SHAES 429	Drive Axles - Vocational	Delo Synthetic Gear Lubricant SAE 75W-90 (suitable for use) or Delo Synthetic Gear Lubricant SAE 80W-140 <sup>1</sup>
<b>Meritor Axles</b>		
O-76 Extended Drain Fully Synthetic Lubricants with EP Additives	Drive Axles - Extended Drain	Delo Synthetic Gear Lubricant SAE 75W-90
O-76 Extended Drain Mineral Lubricants with EP Additives	Drive Axles - Extended Drain	Delo Gear Lubricant ESI 80W-90
		Delo Gear Lubricant ESI 85W-140

<sup>1</sup>Chevron product does not fully meet OEM specification but is suitable for use in non-warranty applications.

DELO® FAMILY OF PRODUCTS RECOMMENDATIONS

Manufacturer - Specification	Equipment	Chevron Product
<b>Allison Transmission</b>		
TC-10 (TS) - Extended Drain - TES 295 1000 / 2000 / 3000 / 4000 series Transmissions - Extended Drain - TES 295	Automatic Transmission - Extended Drain	Chevron Synthetic Automatic Transmission Fluid Heavy Duty <sup>1</sup>
1000 / 2000 / 3000 / 4000 series Transmissions - Conventional Drain Fluid - TES 389	Automatic Transmission - Conventional Drain	Chevron Automatic Transmission Fluid HD-389
<b>Daimler Truck Transmission</b>		
DT 12 – MB 235.11	Automated Manual Transmission	No Chevron Product
<b>Eaton Fuller (Roadranger) Transmission</b>		
Extended Drain - PS 164 Rev 7	Transmission - Extended Drain	Delo Synthetic Transmission Fluid SAE 50
Conventional Drain	Transmission - Conventional Drain	Delo 400 SAE 30 / SAE 40 / SAE 50
<b>Mack Transmission &amp; Axles</b>		
Extended Drain - GO-J Plus	Drive Axles - Extended Drain	Delo Synthetic Gear Lubricant SAE 75W-90 <sup>1</sup>
Extended Drain - GO-J Plus	Drive Axles - Extended Drain	Delo Gear Lubricants ESI 80W-90 <sup>1</sup>
Conventional Drain (402,000 km/250,000 miles) - GO-J	Drive Axles - Conventional Drain	Delo Gear Lubricants ESI 80W-90
Volvo 97307 / 97315 / 97318	m-Drive Transmission - Extended Drain	Delo Syn-Trans XV SAE 75W-80
TO-A Plus	Transmission - Extended Drain	Delo Synthetic Transmission Fluid SAE 50
<b>Meritor Transmissions</b>		
Freedomline®	Freedomline Transmission - Extended Drain	Delo Synthetic Transmission Fluid SAE 50 <sup>1</sup>
API GL-1, API CE / CD/SJ	Transmission - Conventional Drain	Delo 400 SAE 40 / SAE 50
<b>Spicer Transmissions</b>		
Extended Drain - MS 961 T	Transmission - Extended Drain	Delo Synthetic Transmission Fluid SAE 50
API CE / CD / SG / SF, CAT TO-4, MT-1	Transmission - Conventional Drain	Delo 400 SAE 30 / SAE 40 / SAE 50
<b>Volvo Transmissions</b>		
Volvo 97307 / 97315 / 97318	I-Shift Transmission - Extended Drain	Delo Syn-Trans XV SAE 75W-80
<b>ZF Transmissions - North America</b>		
Freedomline	Transmission - Extended Drain	Delo Synthetic Transmission Fluid SAE 50 <sup>1</sup>
AS Tronic	Transmission - Conventional Drain	No Chevron product

<sup>1</sup>Chevron product does not fully meet OEM specification but is suitable for use in non-warranty applications.

ACERT® is a registered trademark of Caterpillar  
 MAXXFORCE® is a registered trademark of Navistar  
 Freedomline® is a registered trademark of Meritor and ZF